



Wall

Schedule for BD/CD/ED School Rooms & Spaces

ID	ROOM/SPACE NAME	IR	FR	PF	OTH
SSP440 HOME BASE UNIT (BD/CD/ED)					
SSP440.01	Home Base - BD/CD/ED	IMPACT RESISTANCE Impact resistant walls are recommended	-	PINBOARD FINISH Maximise pinboard finish to 2100mm	-
SSP440.11	Home Base Store - BD/CD/ED	-	-	-	-
SSP501 LIBRARY					
SSP501.01	Library Main Area	-	-	PINBOARD FINISH Maximise pinboard finish from floor to 2.7m generally and behind fixed wall shelving from 1.4m to 2.7m	-
SSP501.11	Office/Workroom	-	-	-	WALL OTHER 450mm high splashback to sink and bench
SSP501.21	Communications Room	-	-	-	-
SSP501.32	KLA Resource Store	-	-	-	-
SSP502 SPECIAL PROGRAMS UNIT					
SSP502.10	Special Programs Room - BD/CD/ED	IMPACT RESISTANCE Impact resistant walls are recommended	-	PINBOARD FINISH Maximise pinboard finish to 2100mm	-
SSP502.15	Kitchenette - BD/CD/ED	-	-	PINBOARD FINISH Maximise linoleum/cork pinboard finish from 900mm or top of splashback to 2100mm.	WALL OTHER Splashback 450mm high for Sinks and Benches (excluding when glazing is within the zone) Splashback for Basin
SSP502.21	Project Store	-	-	-	-
SSP504 COVERED OUTDOOR LEARNING AREA (COLA)					
SSP504.07	Covered Outdoor Seating Area	-	-	-	-
SSP502 GAMES					
SSP505.02	Games Court	-	-	-	-
SSP601 ADMINISTRATION UNIT					
SSP601.01	Entry Vestibule	-	-	PINBOARD FINISH To Type 2 & 3 - Maximum Pinboard finish from floor to 2.1m, for Reception wall and wall with door/hallway leading to internal offices.	-
SSP601.11	Principal	-	-	-	-



Wall

Schedule for BD/CD/ED School Rooms & Spaces

ID	ROOM/SPACE NAME	IR	FR	PF	OTH
SSP601.15	Interview	-	-	-	WALL OTHER Safety glass screen wall to corridor for observation, from floor to 2100mm high.
SSP601.21	Clerical/Printing	-	-	-	WALL OTHER 450mm high water resistant splashback to basin, if provided.
SSP601.41	Security Store	-	-	-	-
SSP601.51	Sick Bay	-	-	-	WALL OTHER 450mm high water resistant splashback to sink and bench.
SSP601.81	Entrance Zone	-	-	-	-
SSP602 STAFF UNIT					
SSP602.01	Staff Room	-	-	PINBOARD FINISH Maximise pinboard finish to 2100mm. Pinboard not required above splashback	WALL OTHER 450mm high water resistant splashback to sink and bench.
SSP602.30	Staff Toilet	IMPACT RESISTANCE Impact resistant walls are recommended	-	-	WALL OTHER Water resistant walls 450mm high splashback above basin.
SSP603 STUDENT SERVICES UNIT					
SSP603.02	Toilets	IMPACT RESISTANCE Impact resistant walls are recommended	-	-	WALL OTHER Water resistant, easy-clean walls. 300mm high Stainless steel splashback to wash trough
SSP603.04	Hand Washing Outlets	-	-	-	-
SSP603.05	Drinking Facilities	IMPACT RESISTANCE Impact resistant walls are recommended	-	-	WALL OTHER Water resistant, easy-clean walls. 300mm high Stainless steel splashback to wash trough
SSP603.11	Access Shower/Toilet	IMPACT RESISTANCE Impact resistant walls are recommended	-	-	WALL OTHER Water resistant, easy-clean walls. Masonry walls with tiled surfaces to door head height (for Type 2: tiled to 1.5m above floor)
SSP603.30	Seating	-	-	-	-
SSP605 STORAGE UNIT					
SSP605.11	Bulk Store	-	-	-	WALL OTHER 450mm Splashback to basin
SSP605.21	Cleaning Supplies Store	-	-	-	WALL OTHER 450mm high Stainless Steel Splashback to bucket sink.
SSP605.31	Cleaning Distributed Store	-	-	-	WALLS OTHER 450mm high Stainless Steel Splashback to bucket sink



Wall

Schedule for BD/CD/ED School Rooms & Spaces

ID	ROOM/SPACE NAME	IR	FR	PF	OTH
SSP607 ASSEMBLY COURT					
SSP607.01	Assembly Area	-	-	-	-
SSP607.11	Flagpole	-	-	-	-
SSP607.21	Assembly Zone	-	-	-	-
SSP608 PEDESTRIAN CIRCULATION					
SSP608.01	Paved Areas	-	-	-	-
SSP608.02	Paved Access	-	-	-	-
SSP609 VEHICULAR CIRCULATION					
SSP609.01	Service Roads	-	-	-	-
SSP609.11	Bulk Waste Pad	-	-	-	WINDOWS - OTHER Adequate screening (plantings preferred) of the pad is required.
SSP609.21	Car Parking	-	-	-	-
SSP609.51	Crossovers	-	-	-	-
SSP609.61	Student Set Down	-	-	-	-
SSP610 OPEN SPACES					
SSP610.01	Free Play Area	-	-	-	-
SSP610.02	Passive Play/Open Areas	-	-	-	-
SSP610.11	Street Frontage Zone	-	-	-	-
SSP610.12	Active Zone	-	-	-	-
SSP610.13	Passive Zone	-	-	-	-
SSP610.14	Boundary Zone	-	-	-	-
SSP610.15	Out of Bounds Zone	-	-	-	-
SSP610.16	Special Function Zone	-	-	-	-



Wall

Schedule for BD/CD/ED School Rooms & Spaces

ID	ROOM/SPACE NAME	IR	FR	PF	OTH
SSP611 SERVICES					
SSP611.01	Main Switchboard Cupboard	-	-	-	-
SSP611.02	Distribution Board Cupboard	-	-	-	-
SSP611.11	Services Zone	-	-	-	-
SSP612 SITE					
SSP612.01	Boundary Fencing	-	-	-	-
SSP612.03	Zone Fencing	-	-	-	-
SSP612.21	Signs	-	-	-	-