



# Wall

## Schedule for IO/IS/P School Rooms & Spaces

ID	ROOM/SPACE NAME	IR	FR	PF	OTH
<b>SSP430 HOME BASE UNIT (IO/IS/P)</b>					
SSP430.01	Home Base - IO	IMPACT RESISTANCE Impact resistant walls are recommended	-	PINBOARD FINISH Maximise pinboard finish to 2100mm	WALL - OTHER Allow for hanging displays and medium impact resistance.
SSP430.02	Home Base - IS/P	IMPACT RESISTANCE Impact resistant walls are recommended	-	PINBOARD FINISH Maximise pinboard finish from floor to 2100mm to front and rear wall. Pinboard not required below windows with eills less than 1800mm above	WALL - OTHER Allow for hanging displays and medium impact resistance.
SSP430.11	Home Base Store - IO/IS/P	-	-	-	-
SSP430.21	Withdrawal - IO/IS/P	IMPACT RESISTANCE Impact resistant walls are recommended	-	PINBOARD FINISH Maximise pinboard finish to 2100mm	-
SSP430.31	Practical Activities Area - IO/IS/P	IMPACT RESISTANCE Impact resistant walls are recommended	-	PINBOARD FINISH Maximise pinboard finish to 2100mm	WALL OTHER 300mm high Splashback to benches, not in P.E.S
SSP430.41	Personal Effects Storage - IO/IS/P	-	-	PINBOARD FINISH Maximise pinboard finish to 2100mm	-
<b>SSP501 LIBRARY</b>					
SSP501.01	Library Main Area	-	-	PINBOARD FINISH Maximise pinboard finish from floor to 2.7m generally and behind fixed wall shelving from 1.4m to 2.7m	-
SSP501.11	Office/Workroom	-	-	-	WALL OTHER 450mm high splashback to sink and bench
SSP501.21	Communications Room	-	-	-	-
SSP501.32	KLA Resource Store	-	-	-	-
<b>SSP502 SPECIAL PROGRAMS UNIT</b>					
SSP502.04	Special Programs Room - IO/IS/P	-	-	PINBOARD FINISH Maximise pinboard finish to 2700mm	-
SSP502.16	Kitchenette - IO/IS/P	-	-	PINBOARD FINISH Maximise linoleum/cork pinboard finish from 900mm or top of splashback to 2100mm.	WALL OTHER Splashback 450mm high for Sinks and Benches (excluding when glazing is within the zone) Splashback for Basin
SSP502.20	Special Programs Store	-	-	-	-
<b>SSP503 MULTIPURPOSE SPACE</b>					
SSP503.01	Multipurpose Space	-	-	PINBOARD FINISH Maximise pinboard finish to 2100mm	WALL OTHER If used as an Community Hall/ Entertainment Venue and located adjacent to other building Fire rated walls may be required.



# Wall

## Schedule for IO/IS/P School Rooms & Spaces

ID	ROOM/SPACE NAME	IR	FR	PF	OTH
SSP503.11	Chair Store	IMPACT RESISTANCE Impact resistant walls are recommended	-	-	WALL OTHER If part of building used as an Community Hall/ Entertainment Venue, store room to have Fire rated walls(FRL 60/60/60) to separate from Hall.
SSP503.22	PE Store	IMPACT RESISTANCE Impact resistant walls are recommended	-	-	WALL OTHER If part of building used as an Community Hall/ Entertainment Venue, store room to have Fire rated walls(FRL 60/60/60) to separate from Hall.
SSP503.33	Sports Store	IMPACT RESISTANCE Impact resistant walls are recommended	-	-	WALL OTHER If part of building used as an Community Hall/ Entertainment Venue, store room to have Fire rated walls(FRL 60/60/60) to separate from Hall.
<b>SSP504 COVERED OUTDOOR LEARNING AREA (COLA)</b>					
SSP504.02	Covered Outdoor Learning Area	-	-	-	-
SSP504.07	Covered Outdoor Seating Area	-	-	-	-
<b>SSP502 GAMES</b>					
SSP505.02	Games Court	-	-	-	-
<b>SSP601 ADMINISTRATION UNIT</b>					
SSP601.01	Entry Vestibule	-	-	PINBOARD FINISH To Type 2 & 3 - Maximum Pinboard finish from floor to 2.1m, for Reception wall and wall with door/hallway leading to internal	-
SSP601.11	Principal	-	-	-	-
SSP601.13	Deputy Principal	-	-	-	-
SSP601.15	Interview	-	-	-	WALL OTHER Safety glass screen wall to corridor for observation, from floor to 2100mm high.
SSP601.16	Interview/Office	-	-	-	-
SSP601.21	Clerical/Printing	-	-	-	WALL OTHER 450mm high water resistant splashback to basin, if provided.
SSP601.41	Security Store	-	-	-	-
SSP601.51	Sick Bay	-	-	-	WALL OTHER 450mm high water resistant splashback to sink and bench.
SSP601.81	Entrance Zone	-	-	-	-



# Wall

## Schedule for IO/IS/P School Rooms & Spaces

ID	ROOM/SPACE NAME	IR	FR	PF	OTH
<b>SSP602 STAFF UNIT</b>					
SSP602.01	Staff Room	-	-	PINBOARD FINISH Maximise pinboard finish to 2100mm. Pinboard not required above splashback	WALL OTHER 450mm high water resistant splashback to sink and bench.
SSP602.21	Staff Room Annexe	-	-	PINBOARD FINISH Maximise pinboard finish to 2100mm.	-
SSP602.30	Staff Toilet	IMPACT RESISTANCE Impact resistant walls are recommended	-	-	WALL OTHER Water resistant walls 450mm high splashback above basin.
<b>SSP603 STUDENT SERVICES UNIT</b>					
SSP603.02	Toilets	IMPACT RESISTANCE Impact resistant walls are recommended	-	-	WALL OTHER Water resistant, easy-clean walls. 300mm high Stainless steel splashback to wash trough
SSP603.04	Hand Washing Outlets	-	-	-	-
SSP603.05	Drinking Facilities	IMPACT RESISTANCE Impact resistant walls are recommended	-	-	WALL OTHER Water resistant, easy-clean walls. 300mm high Stainless steel splashback to wash trough
SSP603.10	Access Toilets/Showers	IMPACT RESISTANCE Impact resistant walls are recommended	-	-	WALL OTHER Water resistant, easy-clean walls. Masonry walls with tiled surfaces to door head height (for Type 2: tiled to 1.5m above floor)
SSP603.21	Laundry	IMPACT RESISTANCE Impact resistant walls are recommended	-	-	WALL OTHER easy clean water resistant walls Splashback to Laundry Tub
SSP603.30	Seating	-	-	-	-
<b>SSP605 STORAGE UNIT</b>					
SSP605.01	Garden Store	-	-	-	-
SSP605.11	Bulk Store	-	-	-	WALL OTHER 450mm Splashback to basin
SSP605.21	Cleaning Supplies Store	-	-	-	WALL OTHER 450mm high Stainless Steel Splashback to bucket sink.
SSP605.31	Cleaning Distributed Store	-	-	-	WALLS OTHER 450mm high Stainless Steel Splashback to bucket sink
SSP605.41	General Store	-	-	-	-
<b>SSP607 ASSEMBLY COURT</b>					
SSP607.01	Assembly Area	-	-	-	-
SSP607.11	Flagpole	-	-	-	-
SSP607.21	Assembly Zone	-	-	-	-



# Wall

Schedule for IO/IS/P School Rooms &amp; Spaces

ID	ROOM/SPACE NAME	IR	FR	PF	OTH
<b>SSP608 PEDESTRIAN CIRCULATION</b>					
SSP608.01	Paved Areas	-	-	-	-
SSP608.02	Paved Access	-	-	-	-
<b>SSP609 VEHICULAR CIRCULATION</b>					
SSP609.01	Service Roads	-	-	-	-
SSP609.11	Bulk Waste Pad	-	-	-	WINDOWS - OTHER Adequate screening (plantings preferred) of the pad is required.
SSP609.21	Car Parking	-	-	-	-
SSP609.51	Crossovers	-	-	-	-
SSP609.61	Student Set Down	-	-	-	-
SSP609.62	Porte Cochere	-	-	-	-
<b>SSP610 OPEN SPACES</b>					
SSP610.01	Free Play Area	-	-	-	-
SSP610.02	Passive Play/Open Areas	-	-	-	-
SSP610.11	Street Frontage Zone	-	-	-	-
SSP610.12	Active Zone	-	-	-	-
SSP610.13	Passive Zone	-	-	-	-
SSP610.14	Boundary Zone	-	-	-	-
SSP610.15	Out of Bounds Zone	-	-	-	-
SSP610.16	Special Function Zone	-	-	-	-
<b>SSP611 SERVICES</b>					
SSP611.01	Main Switchboard Cupboard	-	-	-	-
SSP611.02	Distribution Board Cupboard	-	-	-	-
SSP611.11	Services Zone	-	-	-	-
<b>SSP612 SITE</b>					
SSP612.01	Boundary Fencing	-	-	-	-
SSP612.21	Signs	-	-	-	-